

Inspection Date	Inspection Type	Inspection SubType	Inspection ID
2025-01-07	Risk Management Inspection	Offsite Assessment	0000512040

**INSPECTION REPORT**

Name of Establishment		Owner / Agents Name	
Main Unit: Next Gen Daycare Subunit: Next Gen Daycare - Childcare, Facility Based Subunit ID: 0000302982		Report Discussed With: N/A Report Sent To: Nik Delivery Method: Email	
Site Address	Rural Address	Mailing Address	
261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada		261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada	

**Opening Comments**

Received photographs of corrected violations.

**Compliance Record**
**1 First Aid Kit - Non-Critical**
**1.1 10. Is a properly supplied first aid kit provided and readily available?**

First Cited: 2025-01-03

Compliance Result: YES - In Compliance

Description: Missing tweezers and CPR barrier mask in the preschool and BASC program first aid kits in the backpacks.

\*\*Obtain tweezers and CPR barrier masks.

\*\*\*CORRECTED.

Target Completion Date: 2025-01-20

**Closing Comments**

Thank you!

**Inspection Actions Taken:**

- No Action Required
- Violations Corrected

Should you have any questions regarding this report, you can get in touch with me using the contact information below.

Jessica Lee

Public Health Inspector

Jessica.Lee6@albertahealthservices.ca

Contact Safe Healthy Environments at 1-833-476-4743 or [submit a request online at ahs.ca/eph.](#)

Child care, food, personal services, and pool inspection reports are now available online at [ahs.ca/inspections.](#)

Inspection Date	Inspection Type	Inspection SubType	Inspection ID
2025-01-03	Monitoring Inspection	Routine	0000511584

**INSPECTION REPORT**

Name of Establishment		Owner / Agents Name	
Main Unit: Next Gen Daycare Subunit: Next Gen Daycare - Childcare, Facility Based Subunit ID: 0000302982		Report Discussed With: Nik Report Sent To: Nik Delivery Method: Email	
Site Address	Rural Address	Mailing Address	
261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada		261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada	

**Opening Comments**

Routine Inspection.

Onsite with Nik.

Before and After School Care (BASC) ages 5-12 years old.

Preschool room 1 ages 4-5 years old.

Preschool room 2 ages 3-4 years old.

Toddlers ages 19 months to 2 years old.

Note: Toddler and BASC program located in the main area (open concept). Toddlers nap in the preschool room 1.

Food not provided. Facility has emergency prepackaged snacks.

Laundry onsite.

Diapering station in the toddler area with dedicated sink from 3 compartment sink and inside washroom.

Chlorine test strips located in staff kitchen.

Dishwasher is not in use for toy washing.

3 compartment sink located in the toddler area for toy washing. Air drying of toys occur on children's table on drying mats which get laundered after.

Sick policy discussed.

All hand washing station maximum hot water temperatures were measured between 46-48 degrees Celsius (satisfactory).

**Compliance Record**
**1 First Aid Kit - Non-Critical**

**1.1 10. Is a properly supplied first aid kit provided and readily available?**

First Cited: 2025-01-03

Compliance Result: NO - Not In Compliance

Description: Missing tweezers and CPR barrier mask in the preschool and BASC program first aid kits in the backpacks.

\*\*Obtain tweezers and CPR barrier masks.

Target Completion Date: 2025-01-20

**LOCATION AND ACCESSIBLE**

The first aid kit for this social care facility is not being properly managed, is not readily available, and/or is not properly supplied. In every social care facility, the location of the first aid kit shall be clearly marked with an appropriate symbol. The first aid kit shall not be locked and shall be easily accessible and readily available. A first aid kit shall be available to staff for field trips at all times. AR 143/81 s 26

**2 Client / Child Protection (Non-Critical) - Non-Critical****2.1 04. Are clients at this facility being protected from hazards (Non-Critical)?**

First Cited: 2025-01-03

Compliance Result: CDI - Corrected During Inspection

Description: Various equipment such as scissors, bleach water disinfectant, ziplock bags, marbles, tin foil boxes were stored in a manner that were accessible to children in the toddler area and the common area that is used by the preschoolers for lunch.

\*\*Ensure these items are stored in a location where children cannot access them.

\*\*\*CORRECTED DURING THE INSPECTION.

Target Completion Date: 2025-01-03

**ACCESS TO HAZARDS (NON-CRITICAL)**

There are hazardous areas, rooms, or conditions which are accessible to clients in this social care facility. AR 143/81 s 24 & 25

**3 Client Care - Critical****3.1 06. Are proper protocols being followed in regards to client care?**

First Cited: 2025-01-03

Compliance Result: CDI - Corrected During Inspection

Description: The bleach water disinfectant for the toddler diapering station did not have bleach concentration detected.

\*\*Ensure the bleach water disinfectant is maintained at a concentration of 100 ppm. Mix 1/2 to 1 teaspoon of household unscented bleach to 1 litre of water.

\*\*\*CORRECTED DURING THE INSPECTION.

Target Completion Date: 2025-01-03

**DIAPERING - DISINFECTING**

Disinfecting of diapering surfaces is not being performed properly in this social care facility. In every social care facility where diaper changing is performed, diaper changing surfaces shall be wiped using an approved disinfection solution. Approved disinfectants include 100 ppm chlorine, 0.5% accelerated hydrogen peroxide or another disinfectant approved by the Executive Officer. AR 143/81 s 30

## Closing Comments

As a gentle reminder, ensure laundry facility is locked when not in use and reorganize supplies/equipment so that they do not pose a hazard to the different age groups.

### Inspection Actions Taken:

- Violations Cited
- Violations Corrected
- Follow-up Required

Should you have any questions regarding this report, you can get in touch with me using the contact information below.

Jessica Lee

Public Health Inspector

Jessica.Lee6@albertahealthservices.ca

Contact Safe Healthy Environments at 1-833-476-4743 or [submit a request online at ahs.ca/eph](#).

Child care, food, personal services, and pool inspection reports are now available online at [ahs.ca/inspections](#).

Inspection Date	Inspection Type	Inspection SubType	Inspection ID
2025-01-03	Monitoring Inspection	Routine	0000511594

**INSPECTION REPORT**

Name of Establishment		Owner / Agents Name	
Main Unit: Next Gen Daycare Subunit: Next Gen Daycare - Playground, Playgrounds/Play Areas - SCF Subunit ID: 0000303008		Report Discussed With: Nik Report Sent To: Nik Delivery Method: Email	
Site Address	Rural Address	Mailing Address	
261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada		261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada	

**Opening Comments**

Routine Inspection.

Onsite with Nik.

Play yard with a portion of the area with pour in place surfacing.

**Compliance Record**
**1 Play Equipment and Areas (Critical) - Critical**
**1.1 02. Are play areas and equipment constructed and maintained in a manner that ensures client safety (Critical)?**

First Cited: 2025-01-03

Compliance Result: CDI - Corrected During Inspection

Description: A slide was measured 27 inches from the ground and observed to be located on asphalt.

\*\*Any play equipment that has a fall height of 20 inches or more require protective surfacing.

\*\*\*CORRECTED DURING THE INSPECTION. THE SLIDE WAS MOVED ONTO THE POUR IN PLACE AREA OF THE PLAY YARD.

Target Completion Date: 2025-01-03

**SURFACE FALL ZONE (CRITICAL)**

The surface under and within the safe fall zones of elevated play equipment is unsatisfactory. The surface shall be loose fill material such as pea gravel, sand, wood chips, wood mulch, or a unitary manufactured surface such as rubber tile, rubber pour-in place, or other approved material adequate for the equipment and fall height. The surface must conform to CSA requirements. AR 143/81 s 6, 24 & 25, AR 243/2003 s 2

## Closing Comments

Operator noted that there are future plans to install a playground. Please send a copy of the playground plans before installation to the undersigned public health inspector for approval.

### Inspection Actions Taken:

- No Action Required
- Violations Cited
- Violations Corrected

Should you have any questions regarding this report, you can get in touch with me using the contact information below.

Jessica Lee

Public Health Inspector

Jessica.Lee6@albertahealthservices.ca

Contact Safe Healthy Environments at 1-833-476-4743 or [submit a request online](https://www.alberta.ca/submit-a-request-online-at-ahs-ca/eph) at [ahs.ca/eph](https://www.alberta.ca/eph).

Child care, food, personal services, and pool inspection reports are now available online at [ahs.ca/inspections](https://www.alberta.ca/inspections).